

M-I LLC

5950 North Course Drive. Houston, Texas 77072 Tel: 281 561 1300 · Fax: 281 561 7240 · www.miswaco.com

CARTER J. WHITE Patent Counsel Legal Department RECEIVED GENTRAL FAX CENTER

MAY 1 7 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: PATEL, Arvind D.

Serial No.: 09/927619

Confirmation No.: 5353

Filed: August 10, 2001

For: BIODEGRADABLE SURFACTANT FOR INVERT

**EMULSION DRILLING FLUID** 

Group Art Unit: 1712

Examiner: Phillip Tucker

Atty. Dkt. No.: 11836.0702.NPUS00

PA-00107US

## RESPONSE TO ADVISORY ACTION & SUPPLEMENTAL RESPONSE TO OFFICE ACTION

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 CERTIFICATE OF FACSIMILIE TRANSMITTAL

DATE OF TRANSMISSION 05/17/2004

I hereby certify that this paper or fee is being transmitted to the United States Patent and Trademark Office 703 872 9306 on the date indicated above.

Signature

## **INTRODUCTORY COMMENTS:**

The following is in response to the Advisory Action mailed April 16, 2004, which is a reply to Applicant's prior Response filed March 26, 2004 which in turn was in response to the Final Office Action mailed January 7, 2004, for which the three-month date for response was April 7, 2004.

Applicant's hereby request a two month extension of time, upto and including June 7, 2004. The undersigned representative authorizes the Commissioner to charge any additional fees under 37 C.F.R. 1.16 or 1.17 that may be required, or credit any overpayment, to Deposit Account No. 13-3082, Order No. PA-00107US.

NO. 1106 P. 1

Γ.



M-I LLC

Legal Department – Patent Group P.O. Box 42842 · Houston, Texas 77242-2842

> RECEIVED Gentral fax center

**FACSIMILE TRANSMITTAL SHEET** 

MAY 1 7 2004

To: Examiner P.Tucker; Art Group: 1712

Company: U.S. Patent & Trademark Office

Phone:

Fax: 703 872 9306

From: Carter White Phone: 281.561.1450 Fax: 281.561.1452

May 17, 2004

Pages (including cover): 10

Reference: Patent Application No. 09/927619

M-I Ref. No.: PA-00107U\$

CÇ:

Date:

Please see attached.